适用于 AYANEO Pocket EVC 机型说明 AYANEO Pocket EVO User Manual

For model of AYANEO Pocket EVO

AYANEO Pocket EVO



产品说明书

User Manual

适用于 AYANEO Pocket EVO 机型说明


AYANEO Pocket EVO User Manual

For model of AYANEO Pocket EVO

Size 256×98mm

AYANEO Pocket EVO








适用于 AYANEO Pocket EVO 机型说明

AYANEO Pocket EVO User Manual

For model of AYANEO Pocket EVO

Size 256×98mm



适用于 AYANEO Pocket EVO

AYANEO Pocket EVO User Manual

For model of AYANFO Pocket FVO

Size 256×98mm

关机状态下,按住电源按键" 约 3 秒后松开将 AYANEO Pocket EVO 开机。

开机状态下,按住电源按键 " 约2秒弹出的菜单选择 () 将 AYANEO Pocket EVO 关机,选择 AYANEO Pocket EVO 将重新启动。

确定选购版本支持指纹识别时、需设置屏幕锁定才能正常设置使用指纹识别功能。 设置 ◆ > 安全 ↑ > 屏幕锁定, 可选择设置图案, PIN 码或密码。 然后在安全选项下选择指纹(n),输入密码或 PIN 确定安全性后即可设置并录入指纹。

睡眠唤醒

开机状态下,点按电源按键 " 使 AYANEO Pocket EVO 进入睡眠状态。 睡眠状态下,点按电源按键 " 将 AYANEO Pocket EVO 唤醒。如果已设置安全屏幕锁定, 需要绘制图案、输入密码或 PIN 码确定安全性后才可进入系统界面。如果已同时配置安全屏幕锁 定和指纹, 轻钟由源按钮完成指纹识别后即可快速唤醒并进入系统界面。

关机后重新开机,或者开机状态下重启后,需要重新验证安全屏幕锁定安全性才可使用 指纹解锁屏幕。

点按音量键 "■■"音量逐级增加,长按则连续增加音量。点按音量键 "■■"音量减小。 在设置 〇 > 【10 音量 |振动 | 勿扰 | 媒体音量、通知音量、闹钟音量等。

需要輸入文本时,占未輸入框則自动呼出触模键盘,使用触控輸入文本。



在屏幕顶部第一次向下滑动呼出下拉萃单。可快速切换 WI AN、蓝牙等设置。再次向下滑动显示完整下拉快 捷菜单,滑动亮度调节滑块进行屏幕亮度调节,可进行快捷按钮配置等操作。



AYANEO Pocket EVO 支持 WLAN 网络,需要通过 WLAN 连接网络时,设置 💿 进入设置菜单主页, 〒 网络和互联网 > WLAN 进入并选取需要连接网络名称,在"安全性"选框输入连接密码后点击"连接" 连接到 WLAN 网络,点击右侧开关图标
可以开启或关闭 WLAN 功能。

需连接蓝牙设备时,设置菜单主页选择 (50 蓝牙 1000),在搜索出列表点击需要连接的蓝牙设备。

存储扩展

AYANEO Pocket EVO 机身配置有 Micro SD 存储卡扩展卡槽,需装配存储卡时,按压防尘盖圆点使其翻开 后即可装配更换存储卡。



请使用附带的适配器对 AYANEO Pocket EVO 进行充电,切勿使用无安全认证适配器进行充电,可能会 造成内部元件损坏和不可预知的危险。

当 Type-C 线插入电源时应当避免皮肤与插头长时间接触,否则可能会引起不适或受伤。请勿尝试自 行更换 AYANEO Pocket EVO 电池,您可能会损坏电池,从而导致过热可能引发火灾和人身伤害。

AYANEO Pocket EVO 的锂离子电池应由 AYANEO 提供相关服务或进行回收,它必须和家庭垃圾分开回收 处理。请按照当地的环保法规来处理电池。电池只能由 AYANEO 或者 AYANEO 授权服务提供商进行更 换,用错误型号电池更换会有爆炸危险。

请使用不起绒的布来清洁 AYANEO Pocket EVO,切勿使任何一个开口处受潮或使用气雾喷剂、溶剂或研磨剂。

更多支持和故障排除信息、请访问 www.avaneo.com.cn。

www.avaneo.com.cn

AYANEO Pocket EVO 内部部分元件包含磁体及无线电发射电磁场,这些电磁场可能会干扰医疗设备、心脏 起搏器、除颤器或其他医疗设备。请在医疗设备和 AYANEO Pocket EVO 之间保持一定的安全距离。请咨询 您的医师和医疗设备制造商以获得医疗设备信息。如怀疑 AYANEO Pocket EVO 干扰您的心脏起搏器、除颤 器或者其他医疗设备,请停止使用 AYANEO Pocket EVO。

AYANEO 保证所附硬件产品和配件,从原先零售购入的日期起一年内,AYANEO 对正常磨损不作担保,对事 故或滥用造成的损坏也不做担保。若要获取服务,请访问 AYANEO 商城或者 AYANEO 授权服务提供商,可用 的服务选项取决于请求的服务所在的国家或地区,并且可能限制为销售的原始国国家和地区。可能需要支 付通话费用和国际运费,这取决于您的位置。

当您根据保修服务政策提交有效的索赔时,AYANEO 将为您的 AYANEO Pocket EVO 酌情进行维修,更换或 退款。您享有的保修权益是附加在本地消费者法律所提供的权力以外的。当您根据本保修政策提出索赔时, 可能需要提供购买凭证的详细信息。

产品中有害物质的名称及含量

			有害物质			
部件名称	铅 (Pb)	汞 (Hg)	镉 (Cd)	六价铬 (Cr(VI))	多溴联苯 (PBB)	多溴二苯醚 (PBDE)
电路板组件	×	0	0	0	0	0
塑胶件	0	0	0	0	0	0
金属零件	×	0	0	0	0	0
电源线	0	0	0	0	0	0 /

本表格依据 SJ/T11364 的规定编制

〇:表示该有害物质在该部件所有均质材料中的含量均在 GB/T26572 规定的限量要求以下。 X:表示该有害物质至少在该部件的某一均质材料中的含量超出 GB/T26572规定的限量要求。

注意:本产品应用环保设计理念,对有害物质进行了有效控制,"X"表示的有害物质主要因技术发展水平限制,无法实现有害物质的替代。

用户使用该电子电气产品不会对环境造成严重污染或对其人身、财产造成严重损害的期限。



适用于 AYANEO Pocket EVO 机型说明

AYANEO Pocket EVO User Manual

For model of AYANFO Pocket FVO

Size 256×98mm

Power on / Off / Restart

When in the shutdown state, press and hold the power button " for about 3 seconds and release

In the power-on state, press and hold the power button " or about 2 seconds to bring up the menu, select the to turn off AYANEO Pocket EVO , and select the to to restart

When the purchased version supports fingerprint recognition, screen lock must be set to use fingerprint recognition. Go to ③ > Security ﴿ > Sereen lock, and choose to set a pattern, PIN code, or password. Then, under security options, setect fingerprint (♠ , enter the password or PIN to confirm security, and proceed to set and enroll fingerprints.

Exit Sleep Mode

Sleep Mode: While the device is on, press the power button

Exit Sleep Mode: While the device is asleep, press the power button to wake it up. If screen lock is enabled, you will need to enter your password or PIN to unlock the device. If both screen lock and fingerprint recognition are enabled, you can quickly wake up the device and enter the system interface by touching the power button to complete fingerprint recognition.

Note: After restarting the device from a shutdown state, or after restarting the device while it is on, you will need to re-authenticate the screen lock before you can unlock the screen with your fingerp.

/olume

Press the volume button " to incrementally increase the volume; long press for continuous volume increase. Press the volume button " to decrease the volume.

In 💿 > 🌗 Volume | Vibration | Do Not Disturb | , adjust media volume, notification volume, alarm volume, etc.

Text Input

When entering text, click on the input box to automatically bring up the touch keyboard for text input.



Dropdown Menu

Swipe down at the top of the screen for the first time to bring up the dropdown menu, allowing quick switching of WLAN, Bluetooth, and other settings. Swipe down again to display the complete dropdown quick menu; slide the brightness adjustment side for screen brightness adjustment and confidure quick buttons.



Network / Bluetooth

AYANEO Pocket EVO supports WLAN networks. When connecting to a WLAN network, go to , enter the settings menu homepage, go to , exertings menu homepage, go to , exertings menu homepage, go to , exerting the connection password in the "Security" checkbox, and click "Connect" to connect to the WLAN network. Click the switch icon , on the right to enable or disable WLAN functionality.

When connecting to Bluetooth devices, select (35 Bluetooth | Pairing) in the settings menu homepage, dick on the Bluetooth device you want to connect to in the search list.

Storage Expansion

The AYANEO Pocket EVO is equipped with a Micro SD memory card expansion slot. Press the dust cover dot to open it and then attach or replace the memory card.



Battery and Charging

Please use the provided adapter to charge AYANEO Pocket EVO . Do not use uncertified adapters for charging, as it may cause internal component damage and unpredictable dangers.

When the Type-C cable is plugged into the power source, avoid prolonged skin contact with the plug to prevent discomfort or injury. Do not attempt to replace the battery in AYANEO Pocket EVO on your own, as it may damage the battery, leading to overheating and potential fire hazards.

AYANEO Pocket EVO 's lithium-ion battery should be serviced or recycled by AYANEO, separated from household waste. Follow bocal environmental regulations for battery disposal. Battery replacement can only be done by AYANEO or an authorized service provider; using the wrong battery model may pose an explosion risk.

leaning

Use a non-lint cloth to clean AYANEO Pocket EVO . Avoid moisture in any openings or the use of aerosol sprays, solvents, or abrasives.

Support

For more support and troubleshooting information, please visit www.ayaneo.com.

www.ayaneo.com

Medical Device Interference

AYANEO Pocket EVO contains internal components that include magnets and emit electromagnetic fields. These fields may interfere with medical devices, pacemakers, defibrillators, or other medical devices. Maintain a safe distance between medical devices and AYANEO Pocket EVO. Consult your physician and the manufacturer of medical devices for information. If you suspect that AYANEO Pocket EVO is interfering with your pacemaker, defibrillator, or other medical device, stop using AYANEO Pocket EVO.

AYANEO guarantees hardware products and accessories for one year from the original retail purchase date.

AYANEO does not guarantee normal wear and tear or damage caused by accidents or misuse. For service, visit
the AYANEO store or an authorized service provider. Available service options depend on the country or region
where the service is requested and may be limited to the original country and region of sale. Call charges and
international shippina fees may apply, depending on your location.

When submitting a valid claim under the warranty service policy, AYANEO will repair, replace, or refund your AYANEO Pocket EVO at its discretion. Your warranty rights are additional to the powers provided by local consumer laws. When filling a claim under this warranty policy, detailed information about the purchase receipt may be required.

Names and Contents of Hazardous Substances in the Product

Hazardous Substance							
Part Name	(Pb)	(Hg)	(Cd)	(Cr(VI))	(PBB)	(PBDE)	
PCB Components	×	0	0	0	0	0	
Plastic Parts	0	0	0	0	0	0	
Metal Parts	×	0	0	0	0	0	
Power Cables	0	0	0	0	0	0	

This table is compiled according to SJ/T11364 regulations

O: Indicates that the content of the hazardous substance in all homogeneous materials of the part is below the limit requirement specified in GB/T26572.

X: Indicates that the content of the hazardous substance in at least one homogeneous material of the part exceeds the limit requirement specified in GB/T26572.

Note: This product applies an environmentally friendly design concept and effectively controls hazardous substances. The " χ " indicates that the hazardous substance is primarily due to the limitations of technological development, making substitution of the hazardous substance impossible.

Environmental Protection Use Period

The symbol indicates the period (ten years) during which the hazardous substances contained in the electronic and electrical products will not leak or undergo abrupt changes under normal use conditions. During this period, the use of these electronic and electrical products will not cause severe pollution to the environment or cause serious harm to the user's health and property.



AYANEO Pocket EVO 三包卡

适用于 AYANEO Pocket EVO

AYANEO Pocket EVO User Manual

For model of AYANEO Pocket EVO

Size 256×98mm

- 一、请妥善保存本三包凭证,本三包凭证和购机发票一起作为保修凭证,在保修期内享受免费保修。
- 在"三包"有效期内产品出现故障,消费者需凭购机发票和此三包凭证享受免费维修服务,所修理产品机身号码同三包凭 证上的产品机身号码必须一致。如无购机发票,则以产品机身号码的生产出厂日期作为消费者产品"三包"有效期的起始 时间。如两者全无的消费者,则不能享受免费维修服务,我司将实行收费维修服务。
- 三、根据《部分商品修理更换退货责任规定》,属下列情况之一者,不实行"三包",但可实行收费维修:
- 1. 超出本公司产品保修期范围内的;
- 2. 无法同时出示购机发票和填写保修凭证,或保修凭证上与维修产品的型号、机身号码不符或涂改;
- 3. 非承担三包的修理者进行修理或者拆动、改装等引起的故障和损坏;
- 4. 未按照产品使用说明的要求使用、维护、保管而造成的故障和损坏;
- 5. 使用非本公司所制造的产品配件引起的产品故障和损坏:
- 6. 由于跌落、移动、运输等非产品质量原因引起的故障和损坏;
- 7. 油烟、灰尘、受潮、直射阳光等恶劣条件下使用产生的故障和损坏;
- 8. 由于雷击、水灾、火灾、地震、风灾等自然灾害及异常电压、公害、化学物质的侵蚀而造成的故障和损坏;
- 9. 使用盗版软件造成损坏的;
- 10. 使用过程中感染病毒造成损坏的。
- 四、超过"三包"有效期或"三包"责任范围的,按照 AYANEO 规定的收费标准实施收费服务。

在线自助服务: www.ayaneo.com.cn 技术支持热线: 400-039-8088

维修记录项目

送修日期	故障描述 故障原因 处理结果	使用配件	交验日期	修理单位 名称	维修人员 签字
					,

AYA	NIEC	- min	-	← 1 ·	任27

商品名称				
商品序列号				
销售单位名称				
销售单位地址				
	9			
销售日期				
消费者姓名				
修理单位名称				
	9			
修理单位联系电话	ž			

AYANEO 严格按照《微型计算机商品修理更换退货责任规定》、为购买 AYANEO 商品的消费者实行三包。若服务条款与三包规定有不符 之处,以三包规定及三包凭证内容为准。对于执行特别三包目录的地区,AYANEO 承诺遵守当地的相关规定。

产品标签	销售单位印章		